

customized face plates & panels

MIC 12



Y Star Sound.
AUDIO, VIDEO, STAGE & LIGHTING CABLES



Four Star
Wire & Cable Inc.



four star wire & cable

Four Star Wire & Cable established its business knowing that it's not just wire, it's service. Our unparalleled service, matched with our extensive inventory, goes way beyond the everyday as we set our own standards based on the "Customer First" philosophy. This customer focused reputation in the industry is growing with each passing year and we would like to invite you to be a part of it.

wire, wire, wire

Four Star Wire & Cable distributes most major brands of wire and cable. This allows us to satisfy any requirements that you may have to complete your project.

unmatched inventory

Our inventory is second to none. Four Star Wire & Cable stocks millions of feet of cable in our warehouses which allows us to deliver quickly and efficiently. Our orders are processed and shipped the same day.

wire twisting, custom cutting and packaging options

Allow Four Star Wire & Cable to fulfill your company's needs. After all, your unique business needs require a unique business approach.

custom dyeing & striping

We can custom dye or stripe your wire to take the guesswork out of your installations. This process is done right here in our facility and is done to your specifications and needs.

custom laser etching/cutting

Our in-house custom laser and cutting services allows us the capabilities to create custom-cut and imprinted metal plates of any type for your installation and mobile projects.

your connection connection

A full line of compression fittings, metal casings and bushings are in stock and available for all your connection needs.

custom assemblies

All assemblies are made right here in our facility. This allows us to create and construct all of your custom audio, video and data assemblies and deliver them to you quickly and correctly.

tools, testors and ties

Four Star Wire & Cable stocks a complete line of all the tools of the trade and a variety of other peripheral products to make us your one stop for all your needs.

same day shipping

Because your order is important to you, and to us, Four Star Wire & Cable uses a state-of-the-art operating system that allows us to ship your order quickly and track it to verify that it reaches its destination.



wall plates & panels

WALL PLATES/PANELS

For professional sound and video installations, Four Star Wire & Cable, Inc., offers single or multiple-gang wallplates for industrial, institutional, or residential use. Wallplates can be built with a wide variety of connectors; pictured below are several examples of the many combinations available. We offer three options of labeling; Laser-etched lettering for the perfect final touch to your system. Brushed Stainless Steel is our standard finish, and Brass, Black, and Aluminum finishes are also available. Due to the many different combinations of connectors, or for custom color needs, to order wallplates or 19" rackplate, simply call your MyStarSound® Account Representative at 1-877-789-1626.

Some of the connectors available...

- 1/4" TRS-Locking Female
- BNC - (Feed-Through)
- XLR Male - D-Series (specify metal or plastic)
- XLR Male - P-Series (specify metal or plastic)
- XLR Female - D-Series (specify metal or plastic)
- XLR Female - P-Series (specify metal or plastic)
- Speakon Panel Mount (specify 4 or 8 contacts)
- S-Video
- RCA Female
- F Conn
- HD15
- DB9 / DB15 / DB25
- 3.5mm TRS
- DVI
- HDMI
- CAT5E/6 Jacks
- Display Port

For XLR connectors, a locking, or non-locking option is available, just specify which is appropriate for your needs when ordering. If you don't see what you need listed, please call and talk to your MyStarSound® Account Representative for a complete run-down of connectors available.

RECESSED WALL PLATES

We now offer black powder coated aluminum wall plates, our standard size is 5" x 7". For more information on sizes and connector configurations please contact your MyStarSound sales representative.



decora

connectors & accessories

CONNECTORS

At Four Star Wire & Cable, Inc., we want you to know that we build the finest and most reliable cable assemblies, but we'd also like to let you know that we can be your best source for all your Audio, Video, Data transmission and power connector needs. Listed below are just some of the many brand name connectors that we keep in stock. We don't have space here to list all, so please call your MyStarSound® Account Representative at 1-877-789-1626 for an up-to-date connector inventory.

CRIMP, SOLDER, COMPRESSION, SCREW TERM, FEED THRU

- RCA
- BNC
- XLR
- Phone / Data Plates, Plugs and Jacks (all categories)
- RJ11 / RJ45
- 1/4" Phone Plugs
- 3.5mm / 2.5mm Plugs and Jacks
- Circular Conn
- Midi
- Din Plugs
- Mini Din Plugs
- DB 9, 15, 25 Connectors
- Centronics
- HD15
- F-Conn
- Speakon Plugs and Jacks
- S-Video
- Banana
- Gender Changers
- Fiber Optics
- Electrical Products

(FOR NEUTRIK PANEL MOUNT CONNECTORS ONLY)

PART

DSS - LETTER PLATE FOR D-SERIES (available colors - black, brown, red, orange, yellow, green, blue, violet, gray, white)

DBA - DUMMY PLATE FOR D-SERIES CUT OUT

SCDX - HINGED COVER SEALS D-SIZE CHASSIS CONNECTORS (IP42 RATED)

SCCD-W - SPRING LOADED COVER SEALS D-SIZE CHASSIS CONNECTORS (IP65 RATED)

SCDP - D-SIZE SEALING GASKETS (available colors - black, white, blue, red, yellow, green)

PLUS

TOOLS, TIE WRAPS, HEAT SHRINK, MESH, PULL ROPE, INSTALL RODS, WIRE CADDYS, AND MANY MORE INSTALLATION PRODUCTS



grommets/split plates

GROMMET/SPLIT PLATES

MyStarSound offers a wide variety of custom wall and face plates, grommet plates are another category of plate that have a very versatile use in the Pro Audio and install cable industry. Anywhere from a 1 gang to 6 gang are offered in stainless steel and black anodized aluminum is offered in 1 gang to 4 gang. For additional customization or information on pricing and availability contact your MyStarSound sales representative.

Part Number	Description ~ Lengths
FWP1G - 34ID	1 gang SS w / 3/4" grommet
FWP1G - 1IDVS	1 gang SS vertical split w /1" grommet
FWP2G - 21DHS	2 gang SS horizontal split w /2" grommet
FWP2G - 25ID	2 Gang SS w / 2.5" grommet
FWP3G - 3ID	3 gang SS w / 3" grommet
FWP3IDVS	3 gang SS Vertical Split w / 3" grommet
FWP3G-2ID	3 gang SS w / 2" grommet



floor boxes

FLOOR BOXES

Available in two different variations, 8"x8" and 6" x 4.75". Configurable to your exact specification, allowing for a wide selection of connectors. Plates can be cut and etched in Stainless or Black Anodized Aluminum. Easy to Install and Very Durable!

To Order Call: MI 1-877-789-1626, TN 1-877-853-8106 or visit fourstarwire.com

voice and data

VOICE & DATA MODULES



CAT 6 HD Connector
IC1078F6xx*
8 Position 8 Conductor, Category 6, RJ-45
*xx=AL (Almond), BK (Black), BL (Blue), GN (Green), GY (Gray), IV (Ivory), OR (Orange), PR (Purple), RD (Red), WH (White), YL (Yellow).



CAT 6 EZ Connector
IC1078L6xx*
8 Position 8 Conductor, Category 6, RJ-45
*xx=AL (Almond), BK (Black), BL (Blue), GN (Green), GY (Gray), IV (Ivory), OR (Orange), PR (Purple), RD (Red), WH (White), YL (Yellow).



CAT 5e Connector
IC1078E5xx*
8 Position 8 Conductor, Category 5e, RJ-45
*xx=AL (Almond), BK (Black), BL (Blue), GN (Green), GY (Gray), IV (Ivory), OR (Orange), PR (Purple), RD (Red), WH (White), YL (Yellow).



Voice Connector
IC1076VOxx*
6 Position 6 Conductor, Category 3, RJ-11
*xx=AL (Almond), BK (Black), BL (Blue), GN (Green), GY (Gray), IV (Ivory), OR (Orange), PR (Purple), RD (Red), WH (White), YL (Yellow).



Voice Connector
IC1078V3xx*
8 Position 8 Conductor, Category 3, RJ-45
*xx=AL (Almond), BK (Black), BL (Blue), GN (Green), GY (Gray), IV (Ivory), OR (Orange), PR (Purple), RD (Red), WH (White), YL (Yellow).



ScTP CAT 5e Connector
IC1078S500



Voice Coupler
IC107C8VRxx*
*xx=BK (Black), GY (Gray), IV (Ivory), WH (White).



CAT 5e Coupler
IC107C5Exx*
*xx=BK (Black).



Fiber Optic Adapter
IC107ST2xx*
IC107SC2xx*
GY (Gray), IV (Ivory), WH (White).

AUDIO & VIDEO MODULES



RCA Female to Female Connectors
Gold Plated with colored inserts
PART NUMBER DESCRIPTION
IC107K6Gxx* Black Insert
IC107L6Gxx* Blue Insert
IC107G6Gxx* Green Insert
*xx=AL (Almond), BK (Black), IV (Ivory), WH (White).



RCA Female to IDC Connectors
IDC allows signal transfer over UTP cable. Gold plated with colored inserts
PART NUMBER DESCRIPTION
IC107K8Gxx* Black Insert
IC107L8Gxx* Blue Insert
IC107G8Gxx* Green Insert
*xx=AL (Almond), BK (Black), IV (Ivory), WH (White).



RCA Female to F-Type Connectors
Gold plated with colored inserts
PART NUMBER DESCRIPTION
IC107RFGxx* Red Insert
IC107KFGxx* Black Insert
IC107LFGxx* Blue Insert
IC107LFGxx* Blue Insert
*xx=AL (Almond), BK (Black), IV (Ivory), WH (White).



Speaker Connector Gold Binding Post
PART NUMBER
IC107PMGxx*
IC107L8Gxx*
IC107G8Gxx*
*xx=AL (Almond), IV (Ivory), WH (White).



Speaker Connector Gold Banana Jack
PART NUMBER
IC107JMGxx*
*xx=AL (Almond), IV (Ivory), WH (White).



PART NUMBER
IC107BSSBK
DESCRIPTION
Audio Speaker Spring Clip
Color = BK (Black)



S-VHS Connector
PART NUMBER
IC107JMGxx*
DESCRIPTION
S-VHS to IDC
*xx=AL (Almond), IV (Ivory), WH (White), GY (Gray).



PART NUMBER
2 GHz 3GHz DESCRIPTION
IC107B5Gxx* IC107B9Gxx* Female, Gold
IC107B5Fxx* IC107B9Fxx* Female, Nickel
*xx=AL (Almond), BK (Black), IV (Ivory), WH (White).



BNC Modular Connectors
Feedthrough female-to-female connector used for CCTV and security cameras.
PART NUMBER DESCRIPTION
IC107B3Gxx* 50 Ohm.
IC107BNCxx* 75 Ohm.
*xx=AL (Almond), BK (Black), IV (Ivory), WH (White).

FACEPLATES



Angled Faceplate
IC107DA1xx* 1 Port Single
IC107DA2xx* 2 Port Single
IC107DA4xx* 4 Port Single
*xx=AL (Almond), IV (Ivory), WH (White), GY (Gray).



Angled Faceplate
IC107AF2xx* 2 Port Single
IC107AF4xx* 4 Port Single
IC107AF8xx* 8 Port Single
*xx=IV (Ivory), WH (White), GY (Gray).



Faceplate w/Station ID Angles
IC107AS2xx* 2 Port Single
IC107AS4xx* 4 Port Single
IC107AS8xx* 8 Port Single
*xx=IV (Ivory), WH (White), GY (Gray).



Faceplate
IC107FO1xx* 1 Port Single
IC107FO2xx* 2 Port Single
IC107FO3xx* 3 Port Single
IC107FO4xx* 4 Port Single
IC107FO6xx* 6 Port Single
*xx=AL (Almond), IV (Ivory), WH (White), GY (Gray).



Faceplate
IC107FD8xx* 8 Port Single
IC107F12xx* 12 Port Single
IC107FT9xx* 9 Port Single
IC107FT4xx* 12 Port Single
*xx=IV (Ivory), WH (White), GY (Gray).



Faceplate w/Station ID
IC107S02xx* 2 Port Single
IC107S03xx* 3 Port Single
IC107S04xx* 4 Port Single
IC107S06xx* 6 Port Single
IC107S08xx* 8 Port Single
IC107S09xx* 9 Port Triple
*xx=IV (Ivory), WH (White), GY (Gray).



Decorex Faceplate
IC107DFSxx*
1 Insert Opening Single
*xx=AL (Almond), IV (Ivory), WH (White).



Decorex Faceplate
IC107DFDxx*
2 Insert Opening Double
*xx=IV (Ivory), WH (White), GY (Gray).



Decorex Insert
ICRDSBBPxx* 4 Binding Post
IC107DC2xx* 2 Port & 2 CATV
*xx=IV (Ivory), WH (White), AL (Almond).



Decorex Insert
ICRDSBBPxx* 4 Binding Post
IC107DC2xx* 2 Port & CATV
*xx=AL (Almond), IV (Ivory), WH (White).




Stainless Steel Faceplate
IC107SF1SSxx* 1 Port Single
IC107SF2SSxx* 2 Port Single
IC107SF3SSxx* 3 Port Single
IC107SF4SSxx* 4 Port Single
IC107SF6SSxx* 6 Port Single
IC107DF4SSxx* 4 Port Double
IC107DF8SSxx* 8 Port Double



Electrical Faceplate
IC106FP2xx* 2 Port Single
IC107DP1xx* 2 Port Insert
IC1074P1xx* 3 Port Insert
*xx=IV (Ivory), WH (White), AL (Almond).

voice and data

WALL PLATES



Wall Plate w/IDC
ICRDSV05xx* 6P6C & CAT 5e
ICRDSVF0xx* 6P6C & CATV
ICRDS0F5xx* CAT 5e & CATV
ICRDS2F5xx* (2) CAT 5e & CATV
ICRDSVF5xx* 6P6C, CAT 5e & CATV
ICRDSV25xx* 6P6C, CAT 5e & (2) CATV
*xx=AL (Almond), IV (Ivory), WH (White).



Wall Plate
IC630E40xx* 6P4C
IC630E60xx* 6P6C
IC630E4Gxx* 6P4C & CATV
IC630E44xx* (2) 6P4C
IC630E66xx* (2) 6P6C
IC630EG0xx* CATV
IC630EGGXX* (2) CATV
*xx=IV (Ivory), WH (White).



Designer Wall Plate
IC630E40xx* 6P4C
IC630E60xx* 6P6C
IC630E4Gxx* 8P8C
IC630E44xx* (2) 6P4C
IC630E66xx* (2) 6P6C
IC630EG0xx* CATV
IC630EGGXX* 6P4C & CATV
*xx=IV (Ivory), WH (White).



Wall Telephone Faceplate
IC630DB4xx*
IC630DB6xx*
*xx=IV (Ivory), WH (White).



Wall Telephone Faceplate
IC630SS4xx* 6P4C
IC630SS6xx* 6P6C
*xx=IV (Ivory), WH (White).



Wall Telephone Faceplate Stainless Steel
IC630DA4SSxx*
IC630DA6SSxx*

VOICE COUPLERS & ADAPTERS



Voice Modular Adapter
ICMA267D44
ICMA267D66



Voice Modular Adapter
ICMA350A4C
ICMA350A6C



Voice Modular Adapter
ICMA3508DR



D-Sub Modular Adapter
ICDB09TF6C Female to 6P6C
ICDB09TM6C Male to 6P6C
ICDB09TF6C Female to 8P8C
ICDB09TF6C Male to 8P8C



D-Sub Modular Adapter
ICDB15TF6C Female to 6P6C
ICDB15TM6C Male to 6P6C
ICDB15TF6C Female to 8P8C
ICDB15TF6C Male to 8P8C



D-Sub Modular Adapter
ICDB25TF6C Female to 6P6C
ICDB25TM6C Male to 6P6C
ICDB25TF6C Female to 8P8C
ICDB25TF6C Male to 8P8C

MULTI-MEDIA FACEPLATES & BOXES



Multi-Media Faceplate
IC108F01xx* 1 Port Single
IC108F02xx* 2 Port Single
IC108FD4xx* 4 Port Double
*xx=IV (Ivory), WH (White), GY (Gray).



Faceplate Bezels
IC108BF1xx* 1 Port Flat
IC108BF2xx* 2 Port Flat
IC108BA1xx* 1 Port Angles
IC108BA2xx* 2 Port Angles
*xx=IV (Ivory), WH (White), GY (Gray).



Furniture Faceplates
IC108UF4xx* 4 Port Surface Mount
IC107FM3xx* 3 Port w/o ID, Flush Mount
*xx=IV (Ivory), WH (White), GY (Gray), BK (Black).



Surface Mount Box
IC108SB1xx* 1 Port w/ID
IC108SB2xx* 2 Port w/ID
IC108SB4xx* 4 Port w/ID
IC108SB6xx* 6 Port w/ID
IC107SB1xx* 1 Port Classic
IC107SB2xx* 1 Port Classic
*xx=IV (Ivory), WH (White), GY (Gray).



Surface Mount Jack
IC625SB4xx* 6P4C
IC625SB6xx* 6P6C
IC625SB8xx* 8P8C
IC625DS4xx* 8P4C w/ Shorting Bar
IC625DS8xx* RJ13X, 4 Cond.
w/ Shorting Bar
*xx=IV (Ivory), WH (White).



Junction & Mounting Box
ICACSMBSxx* Single, 2 Piece
ICACSMDBxx* Double, 2 Piece
IC107MRSxx* Single, 1 Piece
IC107MRDxx* Double, 1 Piece
*xx=IV (Ivory), WH (White), GY (Gray)

RACK SHELVES & DRAWERS



Keyboard Tray
ICCMSRKP10 Tray, 2U w/ Mouse Tray
ICCMSRKS10 Tray, 3U w/o Mouse Tray



Rack Shelf
ICCMSRSF10 10" D. 2RU
ICCMSRSF15 15" D. 3RU
ICCMSRDS20 20" D. 2RU
ICCMSRDS30 30" D. 3RU



Rack Shelf
ICCMSRSV10 10" D. 2RU
ICCMSRSV15 15" D. 3RU
ICCMSRDV20 20" D. 2RU
ICCMSRDV30 30" D. 3RU



Locking Drawer
ICCMSLDWR2 17.5" D. 2RU
ICCMSLDWR4 17.5" D. 4RU



Rack Shelf Heavy Duty
ICCMSHDS20 20" D. 3RU

CABLE MANAGEMENT



Metal Ring Panel
ICCMSCMP31 Ring Panel. 1RU
ICCMSCMP32 Ring Panel. 2RU
ICCMSCMP51 Interbay Panel. 1RU
ICCMSCMP52 Interbay panel. 2RU



Blank Panel
ICCMSCMPB1 Blank 1RU
ICCMSCMPB2 Blank 2RU
ICCMSCMPB3 Blank 3RU



Cable Management Ring
ICCMSCMPR1 Single Ring 1.70"
ICCMSCMPR2 Single Ring 3"
ICCMSCMPR3 Double Ring 3"
ICCMSCMPR4 Double Ring 6"

TOOLS



IC110 & 66 Single Blade Punch Down Tool
ICACSPDT00 Punch Down Tool
w/110 & 66 Blade



Cable Stripper Tool
ICACSCSUTP UTP Cable Stripper Tool
ICACSCSCTV CATV Cable Stripper Tool

shelves and chassis

Middle Atlantic Products have become a standard of the industry and offer engineered mounting solutions to fulfill most of your installation needs. Four Star Wire & Cable is a proud distributor of these products and we are eager to help you acquire the best ones to meet your needs. In addition to the items shown here, Middle Atlantic's catalog offers an extensive array of enclosure systems, power distribution, thermal management, cable management, custom rackmounts, rack accessories and technical furniture.

SB Series Panels

A textured black powder coat finish is used throughout the SB Series. Flanged for strength, each model is made from 16-gauge steel. Available in 1, 2, 3, 4, 5 and 6 rack space configurations.

Universal Rack Shelves

These easy-to-install universal shelves accommodate components up to 17 3/8" wide. Made from 16-gauge steel, finished in a durable black powder coat and individually boxed. Available in 1, 2, 3 and 4 rack space configurations.

EB/FEB Series Panels

Available in a choice of flanged or flat style, these economical steel blank panels feature a durable black powder coat finish. EB Series panels are a 16-gauge, FEB Series Panels are 14 gauge steel. Available in 1, 2, 3, 4, 5 and 6 rack space configurations.

RSH Series Custom Rackmounts

With the innovative RSH custom rackmounts, virtually any component can be installed in a standard 19" enclosure without modification. Custom cut to provide a perfect opening for the face of the component that is being mounted, each RSH unit provides a neatly-trimmed installation with a perfect fit and no gaps. With accurate details on over 8,000 components in our measured unit database, chances are we have the component needed on file.

EVT Vent Panels

Featuring an aesthetically pleasing vertical slotted design, EVT series vent panels have a 17% open area and are available with a 16-gauge steel construction in a black powder coat finish (EVT) or an aluminum construction with a choice of a black brushed and anodized (EVTA) or silver brushed and anodized finish (EVTC). Available in 1 or 2 rack space configurations.

Store CD's, DVD's, VHS tapes and other recorded media in our rackmount media holders. Partitioned to prevent the contents from tipping, each model features a 16-gauge flanged aluminum face and has a black brushed and anodized or silver brushed and anodized finish. All stored media protrudes 3/8" to allow quick retrieval

HBL/CHBL Series Panels

Eye-pleasing aesthetics and flat, 11-gauge aluminum construction combine in this easy-to-machine series of blank panels. Black brushed and anodized or silver brushed and anodized finish.

shelves and chassis



Heavy Duty D, DC and TD Series Drawers

Fully enclosed top with inside dimensions measuring 15 7/8" wide by 14 1/2" deep, the D, DC and TD series drawers feature spring-loaded latches and rugged, straight-forward construction. Installed keylock option available for black anodized and textured models.



SS & SSL Sliding Shelves

The SS sliding shelf is both functional and rugged. Capable of latching in an open or closed position, the shelf slides on ball bearings and extends a full 14" and mounts to any rack (rear rackrail required in steel racks). Occupies slightly more than a single rackspace. The SSL fills just a single rackspace. The low profile sliding shelf extends 10" on nylon roller slides equipped with positivestop lockouts.



Horizontal Cable Managers

Organize patch cords and maintain a required bend radius. Available in a wide variety of styles to suit any application. The D-Ring provides a creative solution for adding individual D-Rings to a rack or on a wall using appropriate fasteners. Select styles also available in 23" panel widths. For optimal performance, do not exceed a 50% fill rate when passing cables through cable rings. Finished in a durable black powder coat.

Rack Screws
Middle Atlantic offers a wide variety of Rack Screws.

Whether premium, standard or security rack screws, each application that you may need has been addressed.



BITs
Used in conjunction with Middle Atlantic's security rack screws, the TBIT, SPBIT and SBIT allow for security when needed.



Configured A/V Enclosures
The MRK series 19" gangable rack enclosures feature a narrow design for large multi-bay jobs. They're fully welded and have 1/8" thick structural steel internal braces.



Middle Atlantic offers several solutions in our rackmount power and lighting series depending on the complexity of their application. Finished in a durable black powder coat and occupies one rackspace.



The two rackspace Ultra Quiet Fan Panel System provides smart cooling and monitoring to ensure a reliable installation in areas where fan noise is not an option, including boardrooms, classrooms, offices, houses of worship etc. Thermostatic proportional speed fan control ensures ultra quiet operation by varying fan speed based on enclosure temperature. Overtemp notification, local and remote, offers additional operation monitoring. A feature unique to this system provides notification in the event of fan failure via a local display or remote signal to an external alarm device. Several models to choose from in 2 fan and 4 fan configurations.



Fans
Featuring smooth, ball bearing design, the 115V fans mount flush and come in 4 1/2", 6" and 10" models.

twist-lock®/single pole devices

TWIST-LOCK® DEVICES

Amps	NEMA Rating Color Coded by voltage	Nema Code#	Poles Wires	AC HP Rating	Plug		Connector Body		Receptacle	Flanged Receptacle	Flanged Inlet
					Black/White	All Black	Black/White	All Black			
15	125V	L5-15	2 Pole/ 3 Wire	0.5	HBL4720C	HBL4720CBK	HBL4729C	HBL4729CBK	HBL4710	HBL4715C	HBL4716C
	250V	L6-15		1.5	HBL4570C		HBL4579C		HBL4560	HBL4585C	HBL4586C
	125V	L5-20		1	HBL2311	HBL2311BK	HBL2313	HBL2313BK	HBL2310	HBL2316	HBL2315
125V	L5-20	1		HBL2311	HBL2311EBK		HBL2313EBK				
20	250V	L6-20		2	HBL2321	HBL2321BK	HBL2323	HBL2323BK	HBL2320	HBL2326	HBL2325
	250V	L6-20		2	HBL2321	HBL2321EBK		HBL2323EBK			
	480V AC	L8-20	3	HBL2341		HBL2343		HBL2340	HBL2346	HBL2345	
30	125V	L5-30	3 Pole/ 5 Wire	2	HBL2611	HBL2611BK	HBL2613	HBL2613BK	HBL2610	HBL2616	HBL2615
	250V	L6-30		2	HBL2621	HBL2621BK	HBL2623	HBL2623BK	HBL2620	HBL2626	HBL2625
	480V AC	L8-30		5	HBL2641		HBL2643		HBL2640	HBL2646	HBL2645
125/250V	L14-20	2 (1)		HBL2411	HBL2411BK	HBL2413	HBL2413BK	HBL2410	HBL2416	HBL2415	
3Ø250V AC	L15-20	3		HBL2421		HBL2423		HBL2420	HBL2426	HBL2425	
3Ø480V AC	L16-30	5		HBL2431		HBL2433		HBL2430	HBL2436	HBL2435	
30	125/250V	L14-30	4 Pole/ 5 Wire	2	HBL2711	HBL2711BK	HBL2713	HBL2513BK	HBL2710	HBL2716	HBL2715
	3Ø250V AC	L15-30		3	HBL2721		HBL2723		HBL2720	HBL2726	HBL2725
	3Ø480V AC	L16-30		10	HBL2731		HBL2733		HBL2730	HBL2736	HBL2735
20	3ØY 120/208V AC	L21-20		2	HBL2511	HBL2511BK	HBL2513	HBL2513BK	HBL2510	HBL2516	HBL2515
30	3ØY 277/480V AC	L22-20		5	HBL2521		HBL2523		HBL2520	HBL2526	HBL2525
30	3ØY 120/208V AC	L21-30		3	HBL2811	HBL2811BK	HBL2813	HBL2813K	HBL2810	HBL2816	HBL2815
	3ØY 277/480V AC	L22-30	10	HBL2821		HBL2823		HBL2820	HBL2826	HBL2825	

NON-NEMA DEVICES

20	20A 250V 10A 60DV AC		4 Pole/ 5 Wire		HBL3521C		HBL3523C		HBL3520	HBL3525C	HBL3524C
----	-------------------------	--	-------------------	--	----------	--	----------	--	---------	----------	----------

50 AMP DEVICES

50	125/250V AC		3P/4W		CS6365C		CS6364C		CS6369		CS6375
----	-------------	--	-------	--	---------	--	---------	--	--------	--	--------

SINGLE POLE DEVICES SERIES 15

150 Amp, Plugs

Description	Male	Female
Thermoplastic elastomer, cable size #8 - #2 AWG	HBL15Mx	HBL15Fx

Tees

Description	Tapping Tee	Paralleling
Fits 150 amp plugs and receptacles	HBL15Tx	HBL15PTx

Gender Reversing Devices

Description	Double Male	Double Female
Fits 150 amp plugs and receptacles	HBL15DMx	HBL15DFx

Protective Caps

Description	Fits Male Devices	Fits Female Devices
Fits 150 amp plugs and receptacles	HBL15MCAPx	HBL15FCAPx

x=color for 150A: BK(Black), W(White), GN(Green), R(Red) and BL(Blue).

SINGLE POLE DEVICES SERIES 16

300 Amp, Plugs

Description	Male	Female
Thermoplastic elastomer, cable size #6 - 2/0 AWG	HBL300Mxx	HBL300Fxx

400 Amp, Receptacles, Stud Type

Description	Female	Male
Panel mount, thermoplastic elastomer, mates with 300 and 400 amp plugs	Through Hole Mounting HBLFRSxx	HBLMRSxx
	Through Hole Mounting HBLFRSCxx	HBLMRSCxx

400 Amp, Receptacles, Double Set Screw

Description	Female	Male
Panel mount, thermoplastic elastomer, mates with 300 and 400 amp plugs	HBLFRxx	HBLMRxx

3-Fers

Description	Male-Fem-Fem-Fem	Fem-Male-Male-Male	Soft 3-Fem
Fits 300 and 400 amp plugs and receptacles	HBLM3Fxx	HBLF3Mxx	HBLM3FSBK HBLF3MSGN

x=color for 150A: BK(Black), W(White), GN(Green), R(Red) and BL(Blue), BN(Brown), O(Orange) and Y(Yellow).

500 Amp, Receptacles Stud Type 11/16" x3/4"

Description	Female	Male
Thermoplastic, panel mount	HBL15FRSx	HBL15MRSx

150 Amp, Receptacles Double Set Screw

Description	Female	Male
Thermoplastic, cable size #8 - #2 AWG	HBL15FRx	HBL15MRx

150 Amp, Weather Protective Covers

Description	Catalog Number
Use with stud type or double set screw receptacles	HBL15NCx

300/400 Amp, Weather Protective Covers

Description	Catalog Number
Use with stud type or double set screw receptacles	HBLNCxx

xx=color for 300/400A: BK(Black), W(White), GN (Green), R(Red) and BL(Blue), BN(Brown), O(Orange), Y(Yellow), and C(Clear).

400 Amp, Plugs

Description	Male	Female
Thermoplastic elastomer, cable size 2/0 -4/0 AWG	HBL400Mxx	HBL400Fxx

400 Amp, Receptacles, Bus Bar Mount

Description	Female	Male
Panel mount, thermoplastic elastomer, mates with 300 and 400 amp plugs	HBLFRBxx	HBLMRBxx

Tees

Description	Tapping Tee	Paralleling Tee
Fits 300 and 400 amp plugs and receptacles	HBLTx	HBLPTxx

Gender Reversing Devices

Description	Double Male	Double Female
Fits 300 and 400 amp plugs and receptacles	HBLDMxx	HBLDFxx

To Order Call: MI 1-877-789-1626, TN 1-877-853-8106 or visit fourstarwire.com

STANDARD TERMS AND CONDITIONS OF SALE

1. FOUR STAR WIRE & CABLE, INC. will hereafter be referred to as FSW.
2. All orders are subject to acceptance of General Offices, in Sterling Heights, Michigan
3. Prices shown on quotations or on acknowledgements of orders are FSW's prices in effect on the date the quotation is made or the order is acknowledged. Shipments will be billed and paid for FSW's price the date shipments are made. Unless otherwise specified, quotations are based on seller's standard commercial domestic packing. Stenographic and clerical errors are subject to correction. Prices are effective when issued and subject to change without notice. Michigan Law shall cover this transaction.
4. Delivery and shipment dates indicated on quotations or on acknowledgements of orders are estimates only and are not guaranteed. In the event that there are any delays in the deliveries, FSW shall not be liable therefore, and the buyer agrees to accept such causes including, but not restricted to, acts of God or of the public enemy, acts of the government in either its sovereign or contractual capacity, fires, floods, epidemics, quarantine restrictions, strikes, freight embargoes, and unusually severe weather, FSW may cancel buyer's order, in whole or in part, without liability to either party.
5. Payment of each invoice whether or not such invoice covers the entire order shall be made in accordance with the terms of the invoice.
6. If the buyer fails to fulfill the terms of payment of any invoice or if the financial responsibility of the buyer shall become impaired or unsatisfactory assurances of buyer's credit standing are received by FSW. Where such acts or requirements of such governmental authority shall have been complied with, FSW also reserves the right in the case of any of the foregoing events to cancel the order, in such event the buyer shall compensate FSW for any commitments, obligations, expenditures, expenses and costs that FSW may have incurred in connection with the order. Each shipment by FSW shall be considered a separate transaction and if payment is not received within the periods specified herein, FSW may bring a separate suit to recover the contract price of each such shipment. Overdue invoices shall bear a service charge. Buyer agrees to pay FSW's cost of collection of overdue invoices, including reasonable attorney's fees.
7. FSW intends to supply cable in continuous lengths per spool or reel put-ups but cannot guarantee that each shipment will contain only continuous length material. If only continuous length material is required, the order must state this. Hook-up wires may be supplied in noncontinuous lengths with the lengths not indicated on the spool. Spools of teflon wire may contain more than one piece. Length may vary plus or minus 10% from length shown, all other lengths are exact.
- 8a. Special constructions and catalog variations represent specific factory production, are not off the shelf shipments and are noncancelable. FSW reserves the right to follow the wire industry practice of shipping within plus or minus 10% of the overall quantity ordered. In the case of special length requirements, and/or special constructions, 15% of the ordered lengths may be shipped in random length reels or spools.
- 8b. FSW will endeavor to make products available as ordered to meet buyer's requirements, but reserves the right to allot its production as it deems best. Buyer agrees that FSW shall not be liable or responsible to buyer to any extent upon failure to supply to buyer any amounts which may be agreed upon from time to time or making only part shipment against any order of buyer.
9. Products furnished hereunder shall be within tolerances, limits and sizes established by industry specifications.
10. FSW warrants that products delivered will be free from defects in material and workmanship. FSW makes no other warranty express or implied warranty or merchantability or fitness for use for a particular purpose which exceeds the foregoing warranty is hereby expressly disclaimed by FSW. Further, FSW shall not be liable for any consequential damages, loss or expenses arising in connection with the sale. Resale, use of or inability to use its products for any purpose whatsoever.
11. Claims of inoperative material must be made in writing within (30) days of delivery of catalog stock items and within ten (10) days of delivery of special constructions and/or catalog variations. Failure to give such notice within the specified time shall constitute and unqualified acceptance and waiver of all claims. FSW's liability and responsibility for inoperative products is specifically limited to the inoperative item or to credit toward the original billing. All replacements by FSW under the provisions of this clause shall be made free of charge, F.O.B. delivery point calls for in the original order. Products for which replacement has been made under the provisions of this clause shall become the property of FSW and shall be returned to FSW by the buyer, F.O.B. buyer's city, provided that FSW has first supplied the buyer with shipping instructions.
12. Under no circumstances are products to be returned to FSW without FSW'S written authorization and FSW reserves the right to scrap any unauthorized returns on a no credit basis. No product may be returned after 60 days after invoicing.
13. FSW shall not be liable for infringement of any patent domestic or foreign, arising out of the use or resale of the products sold hereunder. Further, if such products are manufactured by FSW in accordance with the buyer's instructions or specifications the buyer will indemnify and hold FSW harmless from all liability or expense of any nature or kind what so ever based on or arising out of any claim of infringement of any patent, domestic or foreign.
14. Prices do not include sales, use, excise or similar taxes in addition to the prices specified herein, the amount of any such present or future tax applicable to the sale, of the products hereunder, whether imposed by federal, state or local authorities shall be paid by the buyer.
15. Irrespective of who has paid for same, all tools, molds, dies or fixtures referred to in any quotation or order, shall become and remain the property of FSW. If buyer, for three (3) years does not order goods produced with such equipment, FSW may dispose of it.

Mission Statement

To provide a service standard that is unmatched that is unmatched in the industry and to continually improve our processes to maintain our "Customer First" philosophy with pride and integrity

Our accomplishments of yesterday will become our challenges today.
We will strive each day to maintain our customer's loyalty and respect.

p.s.



Headquarters

6363 Sims Drive Sterling Heights, MI 483131
Phone 586-254-0505 | Fax 586-268-3547 | 877-789-1626

West Branch

1931 S M-33 West Branch, MI 48661
Phone 989-404-7827 | 877-853-8106

Nashville

1420 Donelson Pike Ste, A-22 Nashville, TN 37217
Phone 615-467-0757 | Fax 615-467-0763 | 877-853-8106

Technical Support 1-866-445-4630

fourstarwire.com

mystarsound.com



ISO 9001 CERTIFIED